
ванама

Jumbrella out Side Price List 2022





2 Bahama | Jumbrella outSide Price List Bahama | Jumbrella outSide Price List 3

Jumbrella outSide | round, square 🗱



ø3 in m 7 m^2 8 Spokes

ø 3.5 9.6 m² 8 Spokes

ø 4 12 m² 8 Spokes

 3×3 9 m^2 8 Spokes 3.5×3.5 12 m² 8 Spokes

 4×4 16 m² 8 Spokes

			о эрокез	о эрокез	о эрокез	о эрокез	о эрокез	0 Spokes
Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
mbrella Model and Frame*								
Jumbrella outSide »betex®05« polyester fabric – exclusi- vely crafted for Bahama	 textile membrane made of »betex®05« polyester fabric 25 colors available according to color chart printing possible aluminum frame in traffic white RAL 9016 textured matte finish, resin components in white component parts in V2A stainless steel 	- depending on umbrella size - fabric weight: approx. 200 g/m²	6,238	6,348	6,538	6,348	6,538	6,728
Frame Color anthracite grey frame finish	 aluminum frame in anthracite grey RAL 7016, textured matte finish resin components in black 		without surcharge					
Frame Color wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black				5	58		
Frame Color custom finish	aluminum frame in custom RAL finish		558 without surcharge when at least 6 or more umbrellas are ordered under the same purchase order					
Resin Components in black	instead of white		without surcharge					
V4A Maritime Edition	all component parts in V4A off-shore stainless steel				4	58		
Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible				2	88		
nbrella Model and Frame with alt	ternative Textile Membrane*							
Jumbrella outSide »Precontraint 302«	Frame and frame options same as 1–7, however: - textile membrane made of »Precontraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available according to color chart printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m²	7,174	7,300	7,519	7,300	7,519	7,737
Jumbrella outSide »Sunvas«*	same as 8, however: - textile membrane made of »Sunvas«* polyester fabric - distinctive surface feel printing is not possible	fabric weight: approx. 310 g/m²	7,174	7,300	7,519	7,300	7,519	7,737
Jumbrella outSide »ZebraS, Sunvas striped«*	same as 9, however: - striped	fabric weight: approx. 310 g/m²	7,389	7,519	7,744	7,519	7,744	7,969
iginal Bahama Textile Membrane	for Replacement*							
Textile Membrane for Replacement »betex® 05«	made of »betex®05« polyester fabric		557	629	773	660	884	985
Textile Membrane for Replacement »Precontraint 302«	made of »Precontraint 302« PVC coated polyester fabric		827	914	1,079	966	1,249	1,381
Textile Membrane for Replacement »Sunvas«*	made of »Sunvas«* polyester fabric		827	914	1,079	966	1,249	1,381
Textile Membrane for Replacement »ZebraS, Sunvas striped«*	made of »ZebraS, Sunvas striped«* polyester fabric		1,022	1,132	1,320	1,207	1,548	1,680
rinting								
Printing	 individual digital printing of the textile membrane vector files required (e.g. PDF, EPS, AI,) 				please refer to separ	ate printing price list		

Jumbrella outSide | square

in m 3×3 3.5×3.5 4×4 9 m^2 12 m² 16 m² 8 Spokes 8 Spokes 8 Spokes

	,	·	o Spokes	о Spokes	о Spokes
No.	Item	Description	Price in €	Price in €	Price in €
Textile	Gutter TVR*				
16	Frame Modification for Textile Gutter	 modification of the parasol frame for the attachment of the textile gutter (per spoke) for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole) 	18	18	18
7 00	Textile Gutter	textile gutter made of »betex®05« polyester fabric	524	557	598
18	Textile Gutter	textile gutter made of »Precontraint 302« PVC coated polyester fabric 550 Dtex in SERGE FERRARI PRECONTRAINT Technology	587	623	671
19	Textile Gutter	textile gutter made of »Sunvas«* polyester fabric	587	623	671
Side P	anel*				
20	Frame Modification for Side Panel	- modification of the parasol frame for the attachment of the side panel (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	18	18	18
21	Side Panel WITHOUT window	- made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	336	373	420
22	Side Panel WITHOUT window WITH door on right or left	same as 21, however, with: - roll-up door - side panel for cantilever side to be ordered separately	476	513	560
23	Side Panel WITH window	same as 21, however, with: - flexible window made of transparent film 0.5 mm thickness	351	391	440
24	Side Panel WITH window WITH door on right or left	same as 23, however, with: - roll-up door	491	531	580
25	Connecting Piece	- connecting piece for joining 2 parasols - textile with zippers	118	118	118

* Minimum order quantity 4 umbrellas / or 4 replacement membranes

* for the textile gutters and side panels please indicate the desired color code taken from Bahama color chart.

Remark: The appearance of the items shown in the technical illustrations may vary.

Jumbrella outSide | round, square 🏶 💥





No.	Item		Description	Weight/Dimensions Technical Data	all models Price in €
Perm	anent Installation Op	tions			
26	In-Ground Tipping Base	Į	 lower part to be set in concrete powder coated above-ground connecting components with tilting hinge with theft prevention device 	weight: approx. 42 kg	568
27	In-Ground Tipping Base Installation WITH electrical connection Radiator		same as 26, however: - for umbrella with electromechanical features	weight: approx. 45.5 kg	658
28	In-Ground Installation Extension		- serves to bridge over a gap — e.g. an installation in a Kindergarten sandbox - In-Ground Installation, tiltable (No. 26, 27 and 29)	custom height: from 89 up to 400 mm	338
29	2-piece Flat Foot Mount		- powder coated above-ground connecting compo- nents with tilting hinge - steel plate galvanized	- dimensions: 620 × 620 × 20 mm - weight: approx. 77.5 kg	1,368
30	Optional: »fischer« heavy duty anchoring bolts 1 set = 8 pcs.		- type #FH II 18/30 SK A4 - M12 thread for 2-piece flat foot mount with counter-bores - incl. concrete drill insert type #SDS Plus II, 135 mm drill depth and SW8 Allen wrench		498
31	Wall Brackets	©	- set of two brackets for wall mounting - material: powder-coated aluminum		568
32	Fastening set for Wall Brackets		- Fastening set for installation of the Wall Brackets (item No. 31) inside the wall		350

Bahama Wind Warranty *

Bahama grants you, in addition to the legally binding warranties and on the basis of our General Terms and Conditions, a wind warranty for parasols in open condition. The maximum wind velocity depends on the parasol model and the chosen Bahama installation option.

The basic wind warranty of 37 months can be extended twice – each time for 37 months. The full validity period of the wind warranty Bahama offers, including the two-time extensions, is in total 111 months, that means 3,376 days or more than 9 years. You may be asking yourself how we calculate such a time frame? The tensile strength of the textile membrane lessens over time due to the influence of various weather conditions and especially disproportionally in the first 3 years. The other fundamental properties of the parasol such as sun protection and waterproofness remain the same. Bahama can, however, only grant the wind warranty with maximal tension and tensile strength of the textile membrane.

For this reason: a newly exchanged Bahama textile membrane = a new Bahama wind warranty.

Remark: The appearance of the items shown in the technical illustrations may vary.

6 Bahama | Jumbrella outSide Price List Bahama | Jumbrella outSide Price List 7



\bigvee	\setminus
\bigwedge	\nearrow


Jun	nbrella outSide	round, square 🗱 💥		
No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Prote	ective Cover			
33	Protective Cover – comfort	- made of »betex®05« polyester fabric color 9801 - concrete - with zipper for telescopic rod		418
34	Protective Cover – comfort with telescopic rod	same as 33, but with: - telescopic rod		558
Impa	ct Protection			
35	Soft Foam Safeguard for center pole of umbrella	- 2-piece design - round shape, with Velcro - available in 10 colors		498
LED-	Lighting			
2/	IFD Cinksins	0 DCDW 1ED -t-:		000

LED-Lighting		
36 LED-Lighting with 4 RGBW-LED strips	- 8 RGBW-LED strips - indirect RGBW-LED lighting 120-240/24 V - with remote control - integrated in umbrella spokes	998
37 LED-Lighting with 8 RGBW-LED strips	same as 32, however: - 8 RGBW-LED strips	1,198
Heating		
38 2 Radiators	- 2 electric, turnable infrared radiators (available 1,500 Watts per radiator in US edition) - variable via remote control - can remain in closed umbrella	1,945

with 4 RGBW-LED strips	 indirect RGBW-LED lighting 120-240/24 V with remote control integrated in umbrella spokes 		
LED-Lighting with 8 RGBW-LED strips	same as 32, however: - 8 RGBW-LED strips	1,198	
ng			
2 Radiators	- 2 electric, turnable infrared radiators (available in US edition) - variable via remote control - can remain in closed umbrella - Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm²	1,945	
4 Radiators	same as 38, but with: 1,500 Watts per radiator - 4 electric, turnable infrared radiators	2,605	
Price Reduction for combination of lighting & radiators	when lighting and radiators are ordered at the same time	-200	
	LED-Lighting with 8 RGBW-LED strips 2 Radiators 4 Radiators Price Reduction for combination of	- with remote control - integrated in umbrella spokes same as 32, however: - 8 RGBW-LED strips - 8 RGBW-LED strips - 2 electric, turnable infrared radiators (available in US edition) - variable via remote control - can remain in closed umbrella - Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm² 4 Radiators - 4 Radiators - 4 electric, turnable infrared radiators when lighting and radiators are ordered at the same time	

Notes





ванама®