

# BAHAMA®

Jumbrella XL  
Price List 2022



Jumbrella XL | round, square, rectangular



in m

ø 7  
37 m²  
12 Spokes

5 × 5  
25 m²  
12 Spokes

5.5 × 5.5  
30.25 m²  
12 Spokes

6 × 6  
36 m²  
12 Spokes

7 × 7  
49 m²  
12 Spokes

6 × 5.14  
30.84 m²  
12 Spokes

7 × 5  
35 m²  
12 Spokes

7 × 6  
42 m²  
12 Spokes

| No.                                                         | Item                                                                                                                                                                                    | Description                                                                                                                                                                                                                                                                           | Weight/Dimensions<br>Technical Data                               | Price in €                                   | Price in € | Price in € | Price in €                                                                                    | Price in € | Price in € | Price in € | Price in € |
|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------------------|------------|------------|-----------------------------------------------------------------------------------------------|------------|------------|------------|------------|
| Umbrella Model and Frame*                                   |                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                       |                                                                   |                                              |            |            |                                                                                               |            |            |            |            |
| 1                                                           |  <b>Jumbrella XL WITHOUT valance</b><br>»betex®05«   polyester fabric – exclusively crafted for Bahama | - textile membrane made of »betex®05«   polyester fabric<br>- 25 colors available   according to color chart<br>- printing possible<br>- aluminum frame in traffic white   RAL 9016, textured matte finish<br>- resin components in white<br>- component parts in V2A stainless steel | - depending on umbrella size<br>- fabric weight: approx. 200 g/m² | 6,828                                        | 6,348      | 6,828      | 7,398                                                                                         | 9,098      | 7,398      | 8,468      | 9,398      |
| 2                                                           |  <b>Jumbrella XL WITH valance</b><br>»betex®05«   polyester fabric – exclusively crafted for Bahama    | same as 1, but with:<br>- straight edged valance                                                                                                                                                                                                                                      | valance height: approx. 30 cm                                     | 7,278                                        | 6,748      | 7,278      | 7,898                                                                                         | 9,798      | 7,898      | 9,068      | 10,098     |
| 3                                                           |  <b>Frame Color</b><br>anthracite grey frame finish                                                    | - aluminum frame in anthracite grey   RAL 7016, textured matte finish<br>- resin components in black                                                                                                                                                                                  |                                                                   |                                              |            |            | without surcharge                                                                             |            |            |            |            |
| 4                                                           |  <b>Frame Color</b><br>wooden frame finish                                                             | - aluminum frame in »Golden Oak« finish<br>- resin components in black                                                                                                                                                                                                                |                                                                   |                                              |            |            | 548                                                                                           |            |            |            |            |
| 5                                                           |  <b>Frame Color</b><br>custom finish                                                                   | aluminum frame in custom RAL finish                                                                                                                                                                                                                                                   |                                                                   |                                              |            |            | 548                                                                                           |            |            |            |            |
| 6                                                           | <b>Resin Components</b> in black                                                                                                                                                        | instead of white                                                                                                                                                                                                                                                                      |                                                                   |                                              |            |            | without surcharge when at least 6 or more umbrellas are ordered under the same purchase order |            |            |            |            |
| 7                                                           |  <b>V4A   Maritime Edition</b>                                                                         | all component parts in V4A off-shore stainless steel                                                                                                                                                                                                                                  |                                                                   |                                              |            |            | 458                                                                                           |            |            |            |            |
| 8                                                           | <b>Umbrella Center Pole Extension</b>                                                                                                                                                   | depending on the model, up to 50 cm are possible                                                                                                                                                                                                                                      |                                                                   |                                              |            |            | 168                                                                                           |            |            |            |            |
| 9                                                           | <b>Umbrella Center Pole Reduction</b>                                                                                                                                                   | on request                                                                                                                                                                                                                                                                            |                                                                   |                                              |            |            | on request                                                                                    |            |            |            |            |
| Umbrella Model and Frame with alternative Textile Membrane* |                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                       |                                                                   |                                              |            |            |                                                                                               |            |            |            |            |
| 10                                                          |  <b>Jumbrella XL WITHOUT valance</b><br>»Precontraint 302«                                           | Frame and frame options same as 1–9, however:<br>- textile membrane made of »Precontraint 302«<br>- polyester fabric 550 Dtex with PVC coating<br>- 25 colors available   according to color chart<br>- printing possible<br>- B1 certified   flame retardant                         | fabric weight: approx. 480 g/m²                                   | 7,852                                        | 7,300      | 7,852      | 8,508                                                                                         | 10,463     | 8,508      | 9,738      | 10,808     |
| 11                                                          |  <b>Jumbrella XL WITH valance</b><br>»Precontraint 302«                                              | same as 10, but with:<br>- straight edged valance                                                                                                                                                                                                                                     | valance height: approx. 30 cm                                     | 8,370                                        | 7,760      | 8,370      | 9,083                                                                                         | 11,268     | 9,083      | 10,428     | 11,613     |
| Original Bahama Textile Membrane for Replacement*           |                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                       |                                                                   |                                              |            |            |                                                                                               |            |            |            |            |
| 12                                                          | <b>WITHOUT valance</b>                                                                                                                                                                  | made of »betex®05«   polyester fabric                                                                                                                                                                                                                                                 |                                                                   | 3,149                                        | 2,756      | 2,848      | 2,955                                                                                         | 3,541      | 2,848      | 2,934      | 3,223      |
| 13                                                          | <b>WITH valance</b>                                                                                                                                                                     | made of »betex®05«   polyester fabric                                                                                                                                                                                                                                                 |                                                                   | 3,599                                        | 3,156      | 3,298      | 3,455                                                                                         | 4,241      | 3,348      | 3,534      | 3,923      |
| 14                                                          | <b>WITHOUT valance</b>                                                                                                                                                                  | made of »Precontraint 302«   PVC coated polyester fabric                                                                                                                                                                                                                              |                                                                   | 4,173                                        | 3,709      | 3,872      | 4,065                                                                                         | 4,906      | 3,957      | 4,204      | 4,633      |
| 15                                                          | <b>WITH valance</b>                                                                                                                                                                     | made of »Precontraint 302«   PVC coated polyester fabric                                                                                                                                                                                                                              |                                                                   | 4,690                                        | 4,169      | 4,389      | 4,640                                                                                         | 5,711      | 4,532      | 4,894      | 5,438      |
| Printing                                                    |                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                       |                                                                   |                                              |            |            |                                                                                               |            |            |            |            |
| 16                                                          |  <b>Printing</b>                                                                                     | - individual digital printing of the textile membrane<br>- vector files required (e.g. PDF, EPS, AI,...)                                                                                                                                                                              |                                                                   | please refer to separate printing price list |            |            |                                                                                               |            |            |            |            |

Jumbrella XL | square, rectangular



in m

5 × 5  
25 m<sup>2</sup>  
12 Spokes

5.5 × 5.5  
30.25 m<sup>2</sup>  
12 Spokes


6 × 6  
36 m<sup>2</sup>  
12 Spokes

7 × 7  
49 m<sup>2</sup>  
12 Spokes

6 × 5.14  
30.84 m<sup>2</sup>  
12 Spokes

7 × 5  
35 m<sup>2</sup>  
12 Spokes

7 × 6  
42 m<sup>2</sup>  
12 Spokes

| No.                   | Item                                                                                                                                     | Description                                                                                                                                                                                                                                                                                                                                             | Price in € | Price in € | Price in € | Price in € | Price in €              | Price in €     | Price in €     |                |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|------------|------------|-------------------------|----------------|----------------|----------------|
| Textile Gutter   TVR* |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                         |            |            |            |            |                         |                |                |                |
| 17                    | Frame Modification for Textile Gutter                                                                                                    | - threaded sockets embedded in the spoke profile<br>- all other installation accessories will be supplied with the textile gutter                                                                                                                                                                                                                       |            |            |            | 180        |                         |                |                |                |
| 18                    |  Textile Gutter                                         | <br>Textile gutter made of »betex®05«   polyester fabric<br>- including installation accessories                                                                                                                                                                       | 1,028      | 1,106      | 1,159      | 1,353      | short side<br>long side | 1,068<br>1,159 | 1,028<br>1,353 | 1,159<br>1,353 |
| 19                    |  Textile Gutter                                         | textile gutter made of »Precontraint 302«   PVC coated polyester fabric<br>- including installation accessories                                                                                                                                                                                                                                         | 1,179      | 1,269      | 1,333      | 1,554      | short side<br>long side | 1,193<br>1,330 | 1,179<br>1,554 | 1,330<br>1,554 |
| Side Panel*           |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                         |            |            |            |            |                         |                |                |                |
| 20                    | Frame Modification for Side Panel                                                                                                        | <br>- threaded sockets embedded in the profile of each intermediate spoke<br>- all other installation accessories will be supplied with the side panel                                                                                                                 |            |            |            | 180        |                         |                |                |                |
| 21                    |  Side Panel WITHOUT window                              | <br>- made of »betex®05«, analogous to the textile membrane<br>- mounted to spokes via snap hook<br>- rollable, can remain in open parasol<br>- connection via zippers<br>- aluminum slide-in profiles on the top/bottom edges<br>- including installation accessories | 554        | 589        | 642        | 747        | short side<br>long side | 570<br>642     | 554<br>747     | 642<br>747     |
| 22                    |  Side Panel WITHOUT window WITH door on right or left | same as 21, however, with:<br>- roll-up door                                                                                                                                                                                                                                                                                                            | 754        | 789        | 842        | 947        | short side<br>long side | 789<br>842     | 754<br>947     | 842<br>947     |
| 23                    |  Side Panel WITH window                               | <br>same as 21, however, with:<br>- flexible window made of transparent film   0.5 mm thickness                                                                                                                                                                      | 578        | 621        | 681        | 790        | short side<br>long side | 598<br>681     | 578<br>790     | 681<br>790     |
| 24                    |  Side Panel WITH window WITH door on right or left    | same as 23, however, with:<br>- roll-up door                                                                                                                                                                                                                                                                                                            | 778        | 821        | 881        | 990        | short side<br>long side | 798<br>881     | 778<br>990     | 881<br>990     |
| 25                    | Connecting Piece                                                                                                                         | <br>- connecting piece for joining 2 parasols<br>- textile with zippers                                                                                                                                                                                              | 146        | 146        | 146        | 146        |                         | 146            | 146            | 146            |

Jumbrella XL | round, square, rectangular

| No.                         | Item                                                                                                                              | Description                                                                                                                                                                                                                                                                                                                                                | Weight/Dimensions<br>Technical Data                                                                                                                          | all models<br>Price in € |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Mobile Installation Options |                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                              |                          |
| 26                          |  Portable Stand                                  |  <ul style="list-style-type: none"><li>- height adjustable (in all 4 corners)</li><li>- cross-frame hot-dip galvanized and powder coated</li><li>- incl. bright deco concrete slabs</li><li>- for umbrellas up to size 6 × 6 m</li><li>- without wind warranty*</li></ul> | weight: approx. 460 kg                                                                                                                                       | 2,278                    |
| 27                          |  Portable Stand                                  | same as 26, however: <ul style="list-style-type: none"><li>- with wind warranty*</li><li>- for umbrellas up to size 6 × 6 m</li></ul>                                                                                                                                                                                                                      | weight: approx. 540 kg                                                                                                                                       | 2,838                    |
| 28                          |  Steel Plate Base with 4 Steel Plates            |  <ul style="list-style-type: none"><li>- hot-dip galvanized</li><li>- screw-on receiving column, tiltable</li><li>- without wind warranty*</li></ul>                                                                                                                      | <ul style="list-style-type: none"><li>- dimensions per plate: 740 × 740 × 15 mm</li><li>- weight per plate: approx. 65.2 kg (total approx. 280 kg)</li></ul> | 2,278                    |
| 29                          |  Steel Plate Base with 8 Steel Plates   2 layers | same as 26, however: <ul style="list-style-type: none"><li>- with 8 steel plates</li><li>- with wind warranty*</li></ul>                                                                                                                                                                                                                                   | <ul style="list-style-type: none"><li>- dimensions per plate: 740 × 740 × 15 mm</li><li>- weight per plate: approx. 65.2 kg (total approx. 540 kg)</li></ul> | 3,978                    |
| 30                          | Powder Coating of 4 Steel Plates                                                                                                  | <ul style="list-style-type: none"><li>- in traffic white   RAL 9016, textured matte finish</li><li>- in anthracite grey   RAL 7016, textured matte finish</li></ul>                                                                                                                                                                                        | dimensions per plate: 740 × 740 × 15 mm                                                                                                                      | 568                      |
| 31                          | Spacer                                                                                                                            |  for steel plates<br>e.g. for terrace substructures (custom height on request)                                                                                                                                                                                          | height: min. 134 mm – max. 385 mm                                                                                                                            | 528                      |
| 32                          | Spacer for Electrics   Radiator                                                                                                   | for steel plates<br>e.g. for terrace substructures (custom height on request)                                                                                                                                                                                                                                                                              | height: min. 134 mm – max. 385 mm                                                                                                                            | 568                      |

Jumbrella XL | round, square, rectangular

| No.                            | Item                                                                                                                                                       | Description                                                                                                                                                                                                                                                                                                                                                                              | Weight/Dimensions<br>Technical Data                                                                                                                   | all models<br>Price in € |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Permanent Installation Options |                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                       |                          |
| 33                             |  In-Ground Installation, tiltable                                       |  <ul style="list-style-type: none"><li>- lower part to be set in concrete</li><li>- powder coated above-ground connecting components with tilting hinge</li><li>- with theft prevention device</li></ul>                                                                                              | weight: approx. 42 kg                                                                                                                                 | 568                      |
| 34                             |  In-Ground Installation, tiltable WITH electrical connection   Radiator |  same as 33, however: <ul style="list-style-type: none"><li>- for umbrella with electromechanical features</li></ul>                                                                                                                                                                                  | weight: approx. 45.5 kg                                                                                                                               | 658                      |
| 35                             | In-Ground Installation Extension                                                                                                                           |  <ul style="list-style-type: none"><li>- serves to bridge over a gap</li><li>- e.g. an installation in a Kindergarten sandbox</li><li>- In-Ground Installation, tiltable (No. 33 and 34)</li></ul>                                                                                                    | <ul style="list-style-type: none"><li>- custom height: from 134 up to 400 mm</li><li>- in accordance with</li></ul>                                   | 338                      |
| 36                             |  Surface Mount                                                          |  <ul style="list-style-type: none"><li>- powder-coated above-ground connecting components with tilting hinge</li><li>- galvanized square steel plate</li></ul>                                                                                                                                        | <ul style="list-style-type: none"><li>- dimensions: 610 × 610 × 20 mm</li><li>- weight: approx. 77.5 kg</li></ul>                                     | 1,368                    |
| 37                             |  Dual Mounting Console                                                 |  <ul style="list-style-type: none"><li>- Surface Mount with spacer and tilting hinge</li><li>- custom dimensions on request</li><li>- comes with integrated theft prevention device and cover plate</li><li>OPTIONAL</li><li>- also available for umbrellas with electromechanical options</li></ul> | <ul style="list-style-type: none"><li>- weight: approx. 98 kg</li><li>- height: min. 134 mm – max. 385 mm</li><li>- plus 15 mm winter cover</li></ul> | 1,726                    |
| 38                             |  Optional: »fischer« heavy duty anchoring bolts   1 set = 8 pcs.      |  <ul style="list-style-type: none"><li>- type #FH II 18/30 SK A4</li><li>- M12 thread for 2-piece flat foot mount with counter-bores</li><li>- incl. concrete drill insert type #SDS Plus II, 135 mm drill depth and SW8 Allen wrench</li></ul>                                                     |                                                                                                                                                       | 498                      |

Bahama Wind Warranty\*

Bahama grants you, in addition to the legally binding warranties and on the basis of our General Terms and Conditions, a wind warranty for parasols in open condition. The maximum wind velocity depends on the parasol model and the chosen Bahama installation option.

The basic wind warranty of 37 months can be extended twice – each time for 37 months. The full validity period of the wind warranty Bahama offers, including the two-time extensions, is in total 111 months, that means 3,376 days or more than 9 years. You may be asking yourself how we calculate such a time frame? The tensile strength of the textile membrane lessens over time due to the influence of various weather conditions and especially disproportionately in the first 3 years. The other fundamental properties of the parasol such as sun protection and waterproofness remain the same. Bahama can, however, only grant the wind warranty with maximal tension and tensile strength of the textile membrane.

For this reason: a newly exchanged Bahama textile membrane = a new Bahama wind warranty.

Jumbrella XL | round, square, rectangular



| No.               | Item                                                                                                                                        | Description                                                                                                                                                                                                                                | all models<br>Price in € |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Protective Cover  |                                                                                                                                             |                                                                                                                                                                                                                                            |                          |
| 39                |  <b>Protective Cover – comfort</b>                         |  <ul style="list-style-type: none"><li>- made of »betex®05«   polyester fabric   color 9801 - concrete</li><li>- with zipper for telescopic rod</li></ul> | <b>418</b>               |
| 40                |  <b>Protective Cover – comfort with telescopic rod</b>     |  <p>same as 39, but with:</p> <ul style="list-style-type: none"><li>- telescopic rod</li></ul>                                                            | <b>558</b>               |
| Impact Protection |                                                                                                                                             |                                                                                                                                                                                                                                            |                          |
| 41                |  <b>Soft Foam Safeguard</b><br>for center pole of umbrella |  <ul style="list-style-type: none"><li>- 2-piece design</li><li>- round shape, with Velcro</li><li>- available in 10 colors</li></ul>                     | <b>498</b>               |
| Lighting          |                                                                                                                                             |                                                                                                                                                                                                                                            |                          |
| 42                |  <b>Lighting</b>                                           | <ul style="list-style-type: none"><li>- 4 LED-lamps</li><li>- light temperature 2700 K</li><li>- 4 × 4 W light power</li><li>- supply power 240 V (available in US edition - 120 V)</li></ul>                                              | <b>608</b>               |
| 43                |  <b>Lighting</b>                                         | <ul style="list-style-type: none"><li>- 6 LED-lamps</li><li>- light temperature 2700 K</li><li>- 6 × 4 W light power</li><li>- supply power 240 V (available in US edition - 120 V)</li></ul>                                              | <b>778</b>               |
| LED-Lighting      |                                                                                                                                             |                                                                                                                                                                                                                                            |                          |
| 44                |  <b>LED-Lighting</b><br>with 8 RGBW-LED strips           | <ul style="list-style-type: none"><li>- 8 RGBW-LED strips</li><li>- indirect RGBW-LED lighting 120-240/24 V</li><li>- with remote control</li><li>- integrated in umbrella spokes</li></ul>                                                | <b>1,438</b>             |

Remark: The appearance of the items shown in the technical illustrations may vary.

Jumbrella XL | round, square, rectangular



| No.                 | Item                                                                                                                                      | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | all models<br>Price in €   |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| Heating             |                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                            |
| 45                  |  <b>Radiators</b>                                      |  <ul style="list-style-type: none"><li>- 4 electric, turnable infrared radiators (available in US edition)</li><li>- 1,500 Watts per radiator</li><li>- variable via remote control</li><li>- can remain in closed umbrella</li><li>- NEW! Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm²</li></ul> PLEASE NOTE:<br>This option is suitable for all portable stands with levelling feet and 2-piece in-ground installation with electrical connection (No. 34) and steel plate base in connection with spacer for electrics (No. 32) | <b>2,998</b>               |
| 46                  | <b>Price Reduction</b> for combination of lighting & radiators                                                                            | when lighting and radiators are ordered at the same time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>- 200</b>               |
| Speakers            |                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                            |
| 47                  |  <b>Speakers</b>                                       | frame integrated audio system with 1 speaker                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>price upon request</b>  |
| TV                  |                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                            |
| 48                  |  <b>TV Frame Modification</b><br>for 1 TV<br>for 2 TVs | <ul style="list-style-type: none"><li>- turnable TV-mounting console for VESA-Norm 200, max. screen size 32 inches</li><li>- with quick-action slide-in module for easy mounting in umbrella</li><li>- pre-mounted 230V power socket included (available in US edition - 120 V)</li><li>- CAT7 wiring inside the umbrella pole</li></ul>                                                                                                                                                                                                                                                                                                                                    | <b>558</b><br><b>1,118</b> |
| WLAN                |                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                            |
| 49                  |  <b>Wifi Frame Modification</b>                      | <ul style="list-style-type: none"><li>- only possible in combination with LED-Lighting option</li><li>- internal CAT7 wiring</li><li>- integrated CAT7 RJ45 network interface to be connected inside the in-ground installation</li><li>- internal power supply of the 24V DC router</li><li>- Wifi Outdoor Access Point TP-Link EAP110 mounted onto center pole via weatherproof case</li></ul>                                                                                                                                                                                                                                                                            | <b>1,588</b>               |
|                     |                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                            |
| 50                  | <b>External Control Unit</b>                                                                                                              | <ul style="list-style-type: none"><li>- for 42-49 (all electromechanical features)</li><li>- FI-switch</li><li>- On/Off switch for each individual electromechanical option</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>price upon request</b>  |
| Transport Packaging |                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                            |
| 51                  |  <b>Forkliftable Packaging</b>                       | 3 wooden pallets incl. tension straps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>138</b>                 |

Remark: The appearance of the items shown in the technical illustrations may vary.

## Notes



01/2022

**BAHAMA®**