

**BAHAMA®**

Largo









Price List 2022



# Largo | round, square



in m	ø 7.5 42 m² 16 Spokes	ø 8.5 54 m² 16 Spokes	ø 10.5 85 m² 16 Spokes	ø 12.5 119 m² 20 Spokes	7 × 7 47 m² 16 Spokes	8 × 8 62 m² 16 Spokes	10 × 10 96 m² 20 Spokes	12 × 12 140 m² 20 Spokes
------	-----------------------------	-----------------------------	------------------------------	-------------------------------	-----------------------------	-----------------------------	-------------------------------	--------------------------------

No.	Item	Description	Weight/Dimensions/ Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
Umbrella Model and Frame*											
1	<b>Largo</b> »Précontraint 302«	- textile membrane made of »Précontraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available   according to color chart - printing possible - B1 certified   flame retardant - aluminum frame and -components in custom RAL finish I glossy or textured finish, resin components in white or black - component parts in V2A stainless steel	- depending on umbrella size: approx. 1,000 – 1,850 kg - fabric weight: approx. 480 g/m²	45,900	53,500	77,900	133,900	52,500	64,400	106,900	159,900
2	 <b>V4A</b> Maritime Edition	all component parts in V4A off-shore stainless steel		4,195	4,195	4,195	4,195	4,195	4,195	4,195	4,195
Motorization											
3	 <b>Motorization</b>	E-geared motor – 400 V/3-phase geared motor		6,445	6,445	6,445	included	6,445	6,445	included	included
Printing											
4	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI, ...)		– price upon request –							
Installation Device   Footing Console											
5	 <b>Footing Console</b>	 - lower part to be set in concrete - top frame galvanized - with aluminum cover plate when umbrella is dismantled	- weight depending on umbrella model: approx. 130 – 240 kg - dimensions depending on umbrella model: approx. 83 × 83 × 100 cm or approx. 100 × 100 × 120 cm	2,798	2,798	2,798	2,798	2,798	2,798	2,798	2,798
Lighting											
6	 <b>Lighting</b>	- 16-LED-lamps - light temperature 2700K - 16 × 4 W light power - supply power 240 V (available in US-edition -120 V) - including modification of the footing console for electric connection		3,598	3,598	3,598	3,598	3,598	3,598	3,598	3,598
7	 <b>Lighting</b>	- 32-LED-lamps - light temperature 2700K - 32 × 4 W light power - supply power 240 V (available in US-edition -120 V) - including modification of the footing console for electric connection		5,998	5,998	5,998	5,998	5,998	5,998	5,998	5,998
LED-Lighting											
8	 <b>LED-Lighting</b> with 16 or 20 RGBW-LED strips	- 16 RGBW-LED strips (20 strips in case of ø 12,5 m, 10 × 10 m, 12 × 12 m) - indirect RGBW-LED lighting 120 – 240/24V - with remote control - with 2 integrated control units - integrated in umbrella spokes - including modification of the footing console for electric connection		5,378	5,378	5,378	6,448	5,378	5,378	6,448	6,448



01/2022

**BAHAMA®**